

# PRODUCT DATASHEET

StockCode:	CEB1062	Date:	24/08/2022
Description:	AVG-C-N400	Rev:	5
Product Group:	CEB	Status:	Current
Doc Ref:	PDS-0013-05		



## Electrical:

Rated operational voltage (Ue)	230V ac (min 210, max 260V)
Rated frequency (f)	50/60 Hz
Rated current (Ie)	0.035A
Rated wattage (W)	9W
Rated insulation voltage (Ui)	500V ac
Rated impulse with-stand voltage (Uimp)	2.5 kV
Power factor (pF)	> 0.85
Thermal & Shortcircuit Protected	Yes

## Mechanical:

AVG4 Gallery	76mm post top or outreach bracket
	Aluminium grade LM6
	Finish powder coat black (80 microns min)
	Fixings A4 marine grade stainless steel
AVG4 Globe	CEB1040, AVG4 Opal Globe
	Nominal sphere diameter 300mm
	Thickness, sphere 2mm, at the neck 3mm
	Material polyethylene MDPE UV8 stabilised
	Rotationally moulded for uniformity
Lamp holder fitting & type	Brass, ES type E27
Light source	CEB1650, CELstar3N
Pre-wired flexible cable	Flexible Cable 2.5/3C Artic Grade Blue (3183YAG)
	Length 6 m
Overall dimensions H x W x D (mm)	395 x 300 x 300
Total Weight	3 kg
Ingress protection	IP54

Note: we reserve the right to change the above information without prior notice.  
Wessex Way, Wincanton Business Park, Wincanton, Somerset, BA9 9RR Company Reg No. 1855059, England  
T +44 (0) 1963 828400 F +44 (0) 1963 828401 E info@charlesendirect.com www.charlesendirect.com

## PRODUCT DATASHEET

External mechanical impact	IK08
----------------------------	------

### Normal Service Conditions:

Ambient air temperature for operation	-20 °C to 35 °C
Altitude	< 2000m
Relative Humidity	91-95% @ 20-30 °C
Pollution degree	3
Service life (LEDs)	L80 B10 @ 50000 hours

### Operation:

Lamp	Non flashing
Lamp driver	Constant current
Luminous flux	802 lm
Efficacy	105 lm/W

### Chromaticity & Luminance:

Chromaticity coordinates CIE 15 [N2] - Night	X = 0.3959, Y = 0.3951
Chromaticity coordinates CIE 15 [N2] - Day	X = 0.3189, Y = 0.3301
Luminance 300 to 1200 cd/m <sup>2</sup>	868 cd/m <sup>2</sup>
Uniformity - luminance & chromaticity > 0.66	0.835

### Standards:

BS 8442:2022	
BS EN IEC 60598-1:2021	
BS EN IEC 60598-2-1:2021	
EN 62560:2012	
EN 62471:2008	
EN 62493:2010	
EN 55015:2013	
EN 6100-3-2:2014	
EN 6100-3-3:2013	
EN 61547:2009	
IEC 62321-3-1:2013	
BS EN 13032-1	

### UK Regulations:

Electrical Equipment (Safety) Regulations 2016	No. 1011
Electromagnetic Compatibility Regulations 2016	No. 1091
The Restriction of the Use of Certain Hazardous Substances - in Electrical & Electronic Equipment Regulations 2012	No. 3032

### EU Directives:

LVD 2014/35/EU	
EMC 2014/30/EU	
RoHS 2011/65/EU	

Note: we reserve the right to change the above information without prior notice.  
Wessex Way, Wincanton Business Park, Wincanton, Somerset, BA9 9RR Company Reg No. 1855059, England  
T +44 (0) 1963 828400 F +44 (0) 1963 828401 E info@charlesendirect.com www.charlesendirect.com

# PRODUCT DATASHEET

---

**UMSUG code:**

7946009002100

---

**Add-on Items:**

AVG4 (Non-Halo) Courtesy Shield & Fastener Kit

Order code CEB1093

---

**Other related documents:**

Belisha Range - AVG4 Installation Guidance

UK Declaration of Conformity

EU Declaration of Conformity

---

**Notes:**

---

Note: we reserve the right to change the above information without prior notice.  
Wessex Way, Wincanton Business Park, Wincanton, Somerset, BA9 9RR Company Reg No. 1855059, England  
T +44 (0) 1963 828400 F +44 (0) 1963 828401 E info@charlesendirect.com www.charlesendirect.com